KRK KUMAGAI RIKI KOGYO **High Speed Coater** (With Dryer)

Model No. 2223

In the paper making, drying is done immediately after coating. The paper coating quality is significantly influenced by the coating and drying method. With this dryer, the raw paper is applied on the moving table, and coated with color by the blade or rod, and immediately it is dried while moving in the dryer room. It enables you to determine the coating quality of the raw sheet and coloring material, and migration during drying.



Coating speed Coating method Blade angle Drying method Drying temperature Hot air heater Air flow rate **Power source** Air source **Outer dimensions** Instrument weight

Specimen size

Base dimensions

(optional 200m/min.) blade and rod 20°to 60° hot air circulation (optional IR heater) max. 200°C 20kw adjustable by inverter, max. 15³/min. three-phase 200/220VAC 50/60Hz 100A 0.5MPa 2,400×780×1,780mm 760kg