



AUTOMATIC ELMENDORF TEAR TESTER

Code 130108

Determines the tearing resistance of various materials



Device Description

The Elmendorf tear tester has been developed specially for the paper industry and is outstanding for simplicity of operation and high measurement accuracy. The exchangeable pendulum is equipped with a pneumatic sample clamp. The initiation and return of the pendulum, as well as sample cutting is completely automatic. The device is operated via an integrated touch screen, where the test method can be selected, specific settings can be adjusted and after the measurement, results and statistics can be displayed. Each pendulum is supplied with the appropriate control weight so that with the help of the service program it can easily be checked for functionality and balance.

Test description

Up to 16 samples (acc. to standard 4 samples), prepared with the sample punch, are laid one on top of another and placed in the sample holder. On the touch screen, the number of samples inserted is selected, these are allocated to a test series (MD/CD) and the start button is pressed. The samples are automatically initiated and tears the sample above the cut. The pendulum is slowed, returned automatically to the start position, and the destroyed samples are released.

The force required to tear the sample is displayed on the touch screen. If more than one run is carried out in MD and CD, these can be compared as statistics, and the results displayed.

Specifications

- Changeable pendulum
- Pneumatic sample clamping
- Easy operation via the integrated touch screen
- Fully automatic test sequence and pendulum return
- Control weight for checking the pendulum

Sold & serviced by:

OpTest Equipment Inc.

www.optest.com - sales@optest.com - +1-613-632-5169